

C_SACP_2221

1. You are planning with two hierarchies that have different granularity. Your model contains no data. The story has two pages: a parent planning page and a member planning page (see screenshot). In the Member Planning page you enter the following data: Brazil 100 Chile 100 Peru 100. In the Parent Planning page you enter the following data: North America 10000 South America 30000.

When you go back to the Member Planning page, what will you see? Note: There are 2 ✓ answers to this question.

North America 10000. US 5000. Canada 5000 ✓

South America 30300. Brazil 10100. Chile 10100. Peru 10100 ✓

South America 30300. Brazil 100. Chile 100. Peru 100

North America 10000. US 0. Canada 0

2. You are creating a planning model that is based on SAP BPC, version for SAP BW/4HANA Embedded option.

What sources are supported for the SAP Analytics Cloud model?

CDS View

BW Query ✓

Aggregation Level

Composite Provider

3. When you set up a copy data action, what must you do to allow the user to select the source and target version?

Create a parameter for the source version ✓

Add a copy rule for version

Create a parameter for the target version.

4. When you delete a planning model, what dimension types are always deleted? Note: There are 2 ✓ answers to this question.

Organization ✓

Time

Account ✓

Version

5. Your account dimension has an account for Profit that is calculated as [Revenue] - [Cost].

Which formula can you use to enter a value for Profit and have the system re-calculate Cost while Revenue remains constant?

[Revenue] - [Cost] := INVERSE ([Cost] = [Revenue] - [Profit])

[Revenue] - [Cost] | INVERSE ([Cost]: = [Revenue] -[Profit]) ✓

[Revenue] - [Cost] | INVERSE ([Cost] = [Revenue] -[Profit])

6. Which hierarchy types are supported in an SAP Analytics Cloud dimension?

Version Dependant

Time Dependant

Story Specific
Level based ✓

7. You have financial data from SAP S/4HANA with local currency, group currency, and quantity values. You need to import the data into SAP Analytics Cloud.

Following the SAP best practice guidelines, how would you design a New Model?

- One measure and at least three accounts
- Three measures and at least one account ✓
- Three measures and no accounts

8. When training a smart predict model, which entity has the most accurate forecast?

- Athletic Shorts - US: Expected MAP 1382.81%, inflencer count
- Athletic Shorts - EMEA: Expected MAP 7.16%, inflencer count 1 ✓
- Athletic Shorts - Pacific: Expected MAP 12.84%, inflencer count 2

9. In SAP Analytics Cloud, where can users access data locking tasks?

- Security
- Input Controls
- Calendar ✓
- Planning Stories

10. What does SAP recommend you do before you import data from SAP Business Warehouse to SAP Analytics Cloud?

- Configure an Data connection ✓
- Install SAP Analytics Cloud agent
- Set up a file server

11. You are mapping an SAP Business Warehouse data source with 4 key figures and 10 lines of data to a planning model. You have mapped all key figures to your model.

How many lines of data are imported into your model?

- 14
- 4
- 40
- 10 ✓

12. In a story: you are using a planning model with currency translation enabled.

Which properties in the cross calculation editor do you have when configuring currency conversion? Note: There are 2 ✓ answers to this question.

- Category ✓
- Exchange rate ✓
- Rate type
- Rate version

13. Which planning version type can you share with a co-worker from within a story?

Plan

Public
Private ✓

14. You have an SAP Business Warehouse data source with 25 key figures and no account characteristic.

What must you do to import this data into an existing new type of planning model? Note: There are 2 ✓ answers to this question.

Include 25 accounts in the planning model. ✓

Map the key figures to the measures during the import.

Map the key figures to accounts during the import. ✓

Include 25 measures in the planning model.

15. You have a planning model with the following dimensions; Cost Center, Account, Date, Entity, Version. When you add new transactional data to your model, you want to overwrite any records with cost center A and add new data for cost center B.

Which import method do you use?

Append

Merge

Overwrite ✓

Update

16. When you run a data action with the "publish target version automatically" setting enabled, what changes to your data are published? Note: There are 2 ✓ answers to this question.

Manual changes to the target version ✓

Data action-specific changes to the target public version ✓

Manual changes to the private and public versions"

Data action-specific changes to the private and public versions

17. Which of the following are features of an Embedded Data Action step? Note: There are 2 ✓ answers to this question

Create cyclical references of data actions ✓

Link parameters of data actions

Combine data actions of different models

Nest data actions ✓

18. You enter the following code into the formula script editor: MEMBERSET[d/Account]=

What does the auto-complete feature return? Note: There are 2 ✓ answers to this question.

Hierachies ✓

Members ✓

Properties

Parameters ✓

19. Which of the following are prerequisites to export transaction data to a Data Store object (advanced) in SAP Business Warehouse? Note: There are 2 ✓ answers to this question.

OData Connection ✓
Enhancement spot RSBPC_ODATA
SAP Business Warehouse connection
Maintenance view
RSBPC_ODATA_V_EX ✓

20. You want to import data from SAP BPC Standard.

Which SAP Analytics Cloud planning model types can you use? Note: There are 2 ✓ answers to this question.

Write-back ✓
Financial
Basic ✓
Generic

21. Which of the following dimension types supports multiple hierarchies?

Organization ✓
Time
Account

22. In the pre-delivered planning content, which financial statement version is used to integrate S/4HANA account hierarchies and SAP Analytics Cloud account hierarchies?

S4H1
RTC1
YCOA
FPA1 ✓

23. Regarding comments, what can you do in analytical applications but not in stories? Note: There are 2 ✓ answers to this question

Use a dropdown box to select comments ✓
Use the Like feature of comments
Use radio buttons to select comments ✓
Use a filter for a comment widget

24. For which of the following are value driver trees available? Note: There are 2 ✓ answers to this question

Live models ✓
Analytic models ✓
Datasets
Planning models ✓

25. You imported a transaction data file into an empty model with the results as shown in Figure A. Later, a member of the finance team wants you to import a new data file. In the new data file, you find the following differences: The value of the Labor account has increased to 1600. There is a new record for the Services account, with a value of 250. The record for the Travel account has been deleted.

To achieve the result shown in Figure B, which option must you use to update the data?

Clean and replace selected version data
Append: Reject duplicated rows in model ✓
Clean and replace subset of data with Scope = Version and Account
Update

26. In SAP Analytics Cloud, what must you do when you use a planning model with group reporting data for legal elimination reports? Note: There are 2 ✓ answers to this question.
Select a consolidation unit hierarchy ✓
Store elimination entities persistently ✓
Determine elimination entities dynamically
Select a consolidation profit center hierarchy.

27. What master data can you update during the import of transaction data into an SAP Analytics Cloud planning model with private and public dimensions?
Hierarchies for public dimensions
Property values for public dimensions
Property values for private dimensions ✓

28. You have labor hours in an expense model and labor rates in the HR model.

To calculate and store labor values (labor hours x labor rates) in the expense model, what must you do? Note: There are 2 ✓ answers to this question.
Look up the labor rates in an advanced data action ✓
Blend labor hours and labor rates in the story
Copy the labor rates into the expense model ✓
Include the labor hours and labor rates in a dimension formula

29. How can you use a data action to copy data from one version to another while keeping the account number the same? Note: There are 2 ✓ answers to this question.
Include 'to' & 'from' parameters for version and account in the copy rules ✓
Include a parameter for version and account in the filter section of the data action ✓
Include a parameter for version in the filter and 'to' & 'from' parameters for the account dimension in the copy rules ✓
Include a parameter for account in the filter and 'to' & 'from' parameters for version in the copy rules

30. You are importing from SAP S/4HANA into a planning model with pre-converted actuals turned on.

What mappings are required to import both local and default currency?
Two currencies types
Two measures ✓
Two currencies

31. Where can you enter data into an SAP Analytics Cloud model? Note: There are 2 ✓ answers to this question.
In the SAP Analytics Cloud mobile app ✓
In an analytic application ✓

In the SAP HANA studio
In a story ✓

32. You are using the planning panel to distribute values.

Which of the following driver options can you select? Note: There are 3 ✓ answers to this question.

- Proportionate ✓
- Equal ✓
- Overwrite
- User defined ✓
- Append

33. You need to plan with finance data from SAP S/4HANA in SAP Analytics Cloud. To get started, you need to import master data from SAP S/4HANA. You are following the steps recommended by SAP.

From which source can you import master data from SAP S/4HANA?

- CDS View ✓
- Dataset
- InfoSet
- Calculation View

34. Your account dimension has an account for Profit that is calculated as [Revenue] - [Cost].

Which formula can you use to enter a value for Profit and have the system re-calculate Cost while Revenue remains constant?

- [Revenue] - [Cost] | INVERSE ([Cost] = [Revenue] - [Profit])
- [Revenue] - [Cost] := INVERSE ([Cost] = [Revenue] - [Profit])
- [Revenue] - [Cost] | INVERSE ([Cost] := [Revenue] - [Profit]) ✓
- [Revenue] - [Cost] := (INVERSE [Cost] := [Revenue] - [Profit])

35. What are the pillars of SAP Analytics Cloud? Note: There are 3 ✓ answers to this question.

- Predictive ✓
- Planning ✓
- Data Warehousing
- Blockchain Management
- Business Intelligence ✓

36. In a story, you are on a New Model with currency translation enabled.

Which properties in the calculation editor are available when you configure currency conversion? Note: There are 2 ✓ answers to this question.

- Rate Type ✓
- Source Measure
- Category ✓

Exchange Rate ✓

37. Which of the following SAP Business Warehouse variable types can be used when importing data to SAP Analytics Cloud? Note: There are 2 ✓ answers to this question.

Customer exits ✓

SAP exits

Hierarchy nodes ✓

Single values ✓