

C_TADM70_21

1. Which ABAP data dictionary definitions are available when you use R3LDCTL.

To generate structure file for heterogeneous and homogeneous system copies? Please choose the correct answer.

Partition fields

View fields ✓

Compression fields

Primary key fields ✓

2. Which of the following is an activity of SAP OS/DB Migration Check Analysis? Please choose the correct answer

Check DB migration set concerning the system

Analyze migration planning and OB system

Make recommendation for Hardware enhancement

Check the production system regard to the migration system ✓

3. What are the features of the NZDT method for heterogeneous system copies? There are 2 correct answers to this question

It allows restriction.free transports to the source system while triggers are active

It logs table data changes based on database triggers ✓

It provides a proxy system as central migration controller on the target database system

It synchronizes data between the source and the target database system ✓

4. In an R3LOAD system copy, you notice that tables and indexes were loaded into the wrong database storage unit. When you examine the table and indexes show the correct values.

Which of the following files could contain the cause of the problem?

Task File

DDL template file ✓

Table of content file

Target database size file

5. Which Command file controls the database export of a homogeneous or heterogeneous system copy for R3SETUP? Please choose the correct answer

DBMIG

R3S

DBMI ✓

R3S

DBEXPOR

R3S

6. Which of the following statement is TRUE regarding .TSK: Description? Please choose the correct answer.

Simplifying the R3LOAD restart ✓

Easy to restart tables

Supports table splitting since 7.0

Minimize the R3LOAD to handle

7. Which information is contained in the R3LOAD dump file header? Please choose the correct answer.

File checksum

Compression ratio

Migration key

Source system information ✓

8. List down the Migration Monitor - Net Configuration Variant? There are 2 correct answers to this question

Network: Export directory is shared between source and target system ✓

FTP: File transfer via FTP between source and target system EH FTP ✓

File transfer via ASP between source and target system

Network: Export directory is shared with target system

9. In which Export Dump directory do you find the SQLFiles.LST file? Please choose the correct answer

<Export Dump>/DB ✓

<Export Dump>/DB/<DBS>

<Export Dump>/DATA

<Export Dump>/<Install Directory>

10. Which files JPKGCTL create to enable an optimized export of packages?

split_input.txt

dbsize.xml

sizes.xml ✓

jsplitter_cmd.properties

このラインより上のエリアが無料で表示されます。

11. What are the important points associated with R3LOAD restart export? There are 2 correct answers to this question

Read next write position in dump file from *.TOC ✓

Read next task with status

Delete table content

Export restarts ✓

12. You are restarting a failed R3LOAD Import. From which file does R3LOAD obtain the WHERE condition to delete data of a table split that had been loaded during the failed import?

The task file ✓

The Structure file

The where file

The *.SQL file

13. What are the steps required to migrate an ABAP based system? There are 2 correct answers to this question

Generate *.TSK files only

Technical migration preparation ✓
Unload export database
Generate R3LOAD control files ✓

14. What was the main purpose of the JSPLITTER development? Please choose the correct answer.

To check the resource availability for JAVA system
To reduce the Import/Export runtime for large JAVA system ✓
To run migration system over different application server
To improve the Import/Export support requirement

15. In an R3LOAD system copy, you notice that tables and indexes were loaded into the wrong database storage unit. When you examine the respective structure files, the TABARTs of the tables and indexes show the correct values.

Which of the following files could contain the cause of the problem? Choose the correct answer.

Task files
Table of content file
Target database size file
DDL template file ✓

16. Which of the following is not a Post-Migration Test Activities Please choose the correct answer.

Test typical transactions from day to day business
Run reports to compare results to those in the source system
Verify communication with internal system ✓
Set up a test environment

17. What is the output of the OS/DB Migration Check? Please choose the correct answer.

Optimization of the export/import system setup
Suggestion for parameter settings suited for the target system ✓
Recommendation of migration tool versions to be used
Verification of the data consistency within the migrated target system

18. Which of the following option is called to create the DBSIZE.XML files for all target databases where this file is needed? Please choose the correct answer

JPSIZECHECK
JSIZECHECK ✓
SAPINST
JPKGCTLCHECK

19. Which ABAP data dictionary definitions are available when you use R3LDCTL to generate structure files heterogeneous and homogeneous system copies? Note: There are 2 correct answers to this question.

View fields ✓
Compression fields
Partition fields

Primary key fields ✓

20. Which of the following type of File can limit the maximum initial extent to a value of 1.78 GB? Please choose the correct answer.

- R6ZSCHK
- R3ZSCHK ✓
- R2ZSCHK
- R4ZSCHK

21. Which of the following option is a Technical Parameter for the ABAP Dictionary? Please choose the correct answer.

- TABDM
- TABDRT
- TABDAT
- TABKAT ✓

22. What are the special purposes of MIGMON in relation with ABAP Web AS - Target System Tasks > NW 7.0? There are 2 correct answers to this question

- Import data from systems
- Generate R3LOAD command files (*.CMD) for data import ✓
- Generate R3LOAD task files (*.TSK) for data import (>6.10) ✓
- Database update statistics

23. After a heterogenous system copy to a different database type, you recognize that some tables have secondary indexes that use different fields than indexes in the source database.

Which files might be the source of the difference? Choose Two correct answers.

- Table of content files
- SQL files
- Structure files ✓
- DDL template files ✓

24. What information can be found in a *.TOC file? There are 3 Correct answers to this question

- The identifier into which database the export dump can be imported
- The first and last data block of the exported table data in the dump file ✓
- The total number of rows exported for all packages of a splitted table
- The where condition in case of table splitting ✓
- The table name, dump file name and header data ✓

25. Which actions does the R3LOAD tool perform?

There are 2 correct answers to this question

- It identifies if a migration key is required when performing the import. ✓
- It verifies the syntax of control files during export and import. ✓
- It executes the Unicode conversion of customer systems during import.
- It always creates the primary keys before the data load.

26. Which of the following is not a benefit of SAP OS/DB Migration Check? Please choose the correct answer.

- Independent of 3rd party stand-alone solution
- Efficient Project Implementation through Migration Partners
- Standardize positions for all migrations
- Standardize positions for selected migrations ✓
- Inspection of project schedule by SAP

27. How will you prevent the export or import of unwanted table data in R3LOAD activity? Please choose the correct answer.

- Tables marked with "data"
- Tables marked with "STR"
- Tables marked with "all"
- Tables marked with "struct" ✓

28. What kind of information can be found in a R3LOAD *.STR file? There are 3 correct answers to this question

- Primary key fields ✓
- Initial extent values of tables
- ABAP data types of fields ✓
- TABARTs (data classes) of tables ✓
- Database specific DDL statements

29. During a system copy to oracle, a primary key was created for a table which should NOT have one.

Which of the following file types do you check to find the error?

- *TOC
- *TSK ✓
- *EXT
- *SQL

30. Select the correct sequence of ABAP DDIC - DB and Runtime from the following option? Please choose the correct answer.

- SAP transaction SE11-> Database utility-> Select object
- SAP transaction SE11->Runtime object->Select Unit
- SAP transaction SE11-> Table view-> Database utility ✓
- SAP transaction SE11-> Runtime-> Database Utility

31. List down the characteristics for both Application Server ABAP (AS ABAP) and Application Server Java (AS Java)? There are 3 correct answer to this question

- Common SID for all application servers and the database ✓
- Common database (with different schemas for ABAP and Java) ✓
- Common startup framework ✓
- Common startup background
- Common target database

32. How can the R3LOAD export / import duration be minimized? There are 2 correct answers to this question.

By adjusting the SAP instance profile parameters

By using parallel export / import features ✓

By defining an alphabetical package export order

By splitting of the package files ✓

33. Which tables are converted into transparent tables during the migration to an SAP HANA database? There are 2 correct answers to this question

Cluster tables ✓

Dictionary tables

Pool tables ✓

QCM tables

34. Which tasks does the R3TA tool perform? There are 2 correct answers to this question.

Creates WHERE conditions using the field PAGENO for de-clustering

Splits tables by ROWIDs if the source system is running on an Oracle database

Creates WHERE conditions containing ASCII characters for Unicode conversions ✓

Splits tables by a specified number of splits or a specified number of records ✓

35. Which program is started by SAPINST to export an ABAP system? Please choose the correct answer.

MIGCHECK

DIPGNTAB

MIGMON ✓

R3LOAD

36. Give Reasons for - During a homogeneous or heterogeneous R3LOAD system copy, tables may be moved unintentionally from one database storage unit to another. There are 2 correct answers to this question

Older SAP System Releases were installed with slightly different table locations than subsequent releases ✓

Some tables were assigned to TABMATs of other database storage units

ABAP Dictionary parameters were arranged after the customer had re-distributed the tables

R3LOAD always creates tables and indexes in locations obtained from the ABAP

Dictionary ✓

37. What file types are created by R3LDCTL? Please choose the correct answer

DDL<DBS>.TPL, <PACKAGE>.STR ✓

<PACKAGE>.STR, <PACKAGE>.EXT

<PACKAGE>.STR, DBSIZ

XML

DDL<DBS>.TPL, <TABART>.SQL

38. What has to be considered if you want to use table splitting for an export/import? There are 2 correct answers to this question

The usage of Migration Monitor is mandatory. ✓

The parallel import of packages into a single table makes sense on all databases.

The *.WHR files must be located in the same folder as the *.STR files✓

The where_splitter must run on the *.WHR files created by R3TA and PL/SQL table splitter.

39. From which file types does the MIGTIME tool retrieve time information? There are 2 correct answers to this question

*.TOC✓

*.TSK

*.STR

*.LOG✓

40. Which of the following statements is TRUE regarding Operating System Level in Technical Migration Preparation? There are 2 correct answers to this question

Set up the migration file systems/directories✓

Install migration tools✓

Make sure the current system has the right file system

Import database with JLOAD

41. Which of the following statement is TRUE regarding Required Source System Technical Information? Please choose the correct answer.

Limited disk space for unloading the data

Transport tables from source to target system

Tables in ABAP Dictionary but not in DB or vice versa✓

Internal files and target systems

42. Name the tables which may not exist in NetWeaver systems? There are 2 correct answers to this question

TGAB2

IGDB2✓

TGDB2✓

IGAB2

43. After a system copy, the target system is compiling ABAP programs on =time. This is leading to slow performance.

How can you solve this issue? * Please choose the correct answer

Execute transaction SICK to check the SAP system installation

Repeat the import of package SAPOOOOSTR as it must have failed

Run transaction SGEN to generate ABAP loads✓

Update database statistics to ensure the optimal Cost Based Optimizer access path choice

44. In which directory are the EXPDMP_<PACKAGE>_<nnn> files located?

JAVA/JDMP *or* <export_dir>/JDMP✓

ABAP/DATA

JAVA/DB/<DBS>

ABAP/DB/<DBS>

45. How MIGMON is used for concurrent export/import systems? There are 2 correct answers to this question

Technical Post-Migration activities✓
File transfer via FTP, tape, USB disk, laptop✓
Splitting test activities
Pre-Migration test activities

46. How do you activate the trace option for the R3SZCHK program? Please choose the correct answer.

Set environment variable R3SZCHK_TL=<1...4>✓
Call R3S2CHK with parameter -TL=<1...4>
Call R3S2CHK with parameter -TRACE_LEVEL=<1.. A>
Set environment variable R3S2CHK_TRACE_LEVEL=<1 4>

47. Which SAP Migration Tool writes its data in a format that is independent of database and platform? Please choose the correct answer.

JLOAD✓
JSLOAD
JSAPINST
JPKCT

48. MIGMON created the export_statistics.properties file in the netExchange directory.

What information does this contain? Choose Two correct answers.

Names of failed export packages
Names of completed export packages
Number of export packages✓
Number of export failures✓

49. What are the features associated with the Migration / Table Checker (MIGCHECK) There are 3 correct answers to this question

Used by SAPINST✓
Can handle export and import files
Verifies the task file content✓
Long running task✓
Verifies the table contents

50. List down the features of Migration Monitor (MIGMON)? There are 2 correct answers to this question

R3LOAD export or import parameter
Creates R3LOAD Import command files✓
Start R3LOAD process as soon as task starts
Calls R3LOAD to generate import task files✓

51. Which files does the JPKGCTL tool create? There are 2 correct answers to this question
splitrules.txt

<PACKAGE>.xml✓
Jsplitter_cmd.properties
sizes.xml✓

52. Which of the following is not an activity of R3LOAD? Please choose the correct answer.

struct = Create table/index, but do not load any data

data = Load data only (table must be created manually)

all = Create table/index and load data

table= Create table/extent size limit ✓

53. An import of the package IMPORT_8 failed.

Which files does the JLOAD tool examine during restart to identify the error? Please choose the correct answer.

IMPORT_8.XML

IMPORT_18 STA

XML

IMPORT_8.LOG ✓

IMPORT_8.STA

54. Which program is started by SAPINST to ensure that the ABAP DDIC is consistent in the target system? Please choose the correct answer

MIGCHECK

R3LOAD

DIPGNTAB ✓

R3SZCHK