

C_TS413_2021

1. What happens if you change the primary key of a functional location?

The functional location is immediately assigned to a new superior functional location when the new label is entered. ✓

The user must define a new labelling system for the new primary key.

Changing the superior functional location via alternative labeling is not possible.

The user must decide whether the functional location is assigned to a new superior functional location.

2. What are the prerequisites to serialize a piece of equipment? Note: There are 3 ✓ answers to this question.

Assign a serial number profile to the related material master. ✓

Assign a serial number profile to the equipment category.

Add a serialized material to the equipment serial data view. ✓

Maintain a serial number for an existing equipment master.

Add a serialized material to the construction type field of the equipment master. ✓

3. You require stock material to carry out maintenance tasks.

Which of the following statements regarding material planning in the maintenance order are ✓? Note: There are 3 ✓ answers to this question.

Material can be assigned at order header level. ✓

A control key for internal workforce is required when assigning stock material to an order operation. ✓

Material can be assigned at order operation level. ✓

The pick list for materials can be printed before order release.

A goods receipt can be entered for a technically completed maintenance order. ✓

4. In which of the following locations can object information can be found

In master record of technical object

In document

In Notification

In Order ✓

5. Which operations are possible when you cancel the technical completion of a maintenance order? Note: There are 2 ✓ answers to this question.

Change the priority. ✓

Cancel status Released.

Book a goods receipt. ✓

Change the estimated costs.

6. Which functionalities belong to the current portfolio of SAP Business Objects Business Intelligence? Note: There are 2 ✓ answers to this question.

SAP Crystal Reports ✓

SAP Quick Viewer

Plant Maintenance Information Systems (PMIS)

SAP Lumira ✓

7. The planner adds non-stock material in a released maintenance order.

Which of the following statements regarding the purchasing process are ✓? Note: There are 3 ✓ answers to this question.

The maintenance order can be set to TECO before the invoice is created. ✓

A purchase order is created automatically as soon as the order is saved.

A purchase requisition can be created automatically as soon as the the order is saved. ✓

A goods receipt can be posted after the maintenance order is technically completed ✓

A goods receipt can ONLY be posted for a maintenance order with status RE

8. A piece of equipment cannot be linked to a material. Determine whether this statement is true or false.

True

False ✓

9. You want to assign components to an equipment task list. There is no BOM assigned to the equipment.

What is the prerequisite for using the free assignment of material?

Free assignment of material is always possible without any prerequisites.

Assign the header material of a material BOM to the equipment task list header.

Assign the header material of a material BOM as assembly to a task list operation.

Assign the BOM usage for free assignment of material in Customizing. ✓

10. In which maintenance object can you use an activity type? Note: There are 2 ✓ answers to this question.

Maintenance order operation ✓

Maintenance order header

Notification activity

Work center ✓

11. Which statements regarding a maintenance order with status RE are ✓? Note: There are 3 ✓ answers to this question.

The planner can change estimated costs only at header level. ✓

Shop papers can only be printed after the order release. ✓

Goods receipts for external services can be entered. ✓

The controller can determine actual cost surcharges.

The planner can change planned costs at operation level. ✓

12. Which steps support the maintenance technician in the Report and Repair Malfunction Fiori app (3 tiles)? Note: There are 3 ✓ answers to this question.

Complete the malfunction report. ✓

Plan repair work for responsible work center. ✓

Assign production resource tool (PRT) to operation.

Verify planned and actual costs

Find malfunction records already created in a list. ✓

13. How does the work center influence cost calculation in the maintenance order? Note:

There are 2 ✓ answers to this question.

Via organizational unit and personal hourly rate ✓

Via activity type and hourly rate ✓

Via business partner and hourly price

Via cost center and activity type ✓

14. Where can you see the results of the material availability check for maintenance orders?

Note: There are 2 ✓ answers to this question.

In the single-level list editing function for maintenance orders ✓

In the report Material: Where-Used List ✓

Within a maintenance order ✓

In the material reservation list in inventory management

15. How do you set up the visible tiles for a specific user in SAP Fiori launchpad? Note:

There are 2 ✓ answers to this question.

By assigning a PFCG role with an SAP Fiori catalog ✓

By assigning a PFCG role with an SAP Fiori tile group ✓

By assigning a portal role with an SAP Fiori catalog

By assigning the tiles directly

16. What does a virtual data model provides

A copy of the database optimized for analytical purpose

Ready to use business reports

consumption ready views of data ✓

Reporting tools for users

17. You have created a new equipment category, "linear", with the corresponding view profile.

Which fields appear in the equipment linear data tab? Note: There are 3 ✓ answers to this question.

Object network ✓

Unit of measure ✓

Start marker ✓

Segment

Type of offset ✓

18. Which of the following are standard functionalities of SAP Asset Manager? Note: There are 3 ✓ answers to this question.

Work orders and operations ✓

Technical objects ✓

Breakdown analytics ✓

ESRI maps

Cost analytics

19. In which cases are projects (PS) used in the area of SAP S/4HANA Asset Management?

Note: There are 2 ✓ answers to this question.

Condition-based maintenance ✓
Investments ✓
Shutdowns and overhaul ✓
External refurbishment

20. You cancel the technical completion of a work order.

What are the effects? Note: There are 2 ✓ answers to this question.

Open purchase orders are recompiled. ✓

Open reservations are recompiled. ✓

Referenced notifications are put In Process again.

Open purchase requisitions are recompiled ✓

21. Which objects can you use in the safety measure list? Note: There are 2 ✓ answers to this question.

Work approval ✓

Permits ✓

Documents ✓

Work clearance documents

22. Which statements are ✓ about UI technologies in SAP S/4HANA Asset Management?

Note: There are 2 ✓ answers to this question.

Web Dynpro apps can be used in the SAP Fiori launchpad ✓

The cloud version can also use SAP GUI for Windows.

SAP GUI transactions can be used in the SAP Fiori launchpad.

SAP Fiori launchpad only supports SAP UI5apps. ✓

23. You want to set up a scenario for regular maintenance. The first event should take place after 1 year; after that, it is a regular cycle of 6 months.

Which parameter do you have to use to map this in the system?

Shift factor

Maintenance plan category

Maintenance package offset ✓

Scheduling indicator

24. Which valuation category do you use to refurbish a material?

Origin

Retail

Condition-based ✓

In-house/external procurement

25. You want to set up a general maintenance task list for inspection rounds using the overall time confirmation as a simplified way to record measurement documents.

What do you need to do? Note: There are 2 ✓ answers to this question.

Assign a piece of equipment with an allocated measuring point to a task list operation. ✓

Assign an inspection lot to the task list header.

Assign a measuring point as a production resources/tools(PRT) to a task list operation. ✓
Assign an inspection document as PRT to the task list operation.

26. Which statements are ✓ for standard processes in PM/PS costcontrol? Note: There are 2 ✓ answers to this question.

Budget can be assigned to a WBS element. ✓

Maintenance costs can be settled to a network operation.

Maintenance order costs can be settled to a WBS element. ✓

Budget can be assigned to a maintenance plan.

27. Which steps are available for the maintenance technician when using the Report Malfunction tile? Note: There are 3 ✓ answers to this question.

Select and print the maintenance order shop papers. ✓

Display the current location of the technical object. ✓

Add a URL to provide further information. ✓

View details of the technical object by navigating to the Asset Viewer. ✓

Input estimated costs for repair malfunction.